


MS21209F1-10 HELICAL COIL, 1X  
REF




GRAIN  
DIRECTION

**D4293-1 FITTING**

**RELEASED**  
2011-02-01  
*[Signature]*

**NOTES:**

- 1) MATERIAL: 7075-T73/-T7351/-T73510/-T73511 BAR  
PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9 (AMS 4124) OR AMS-QQ-A-250/12 (AMS 4078)  
REF DART SPEC. M7075T73B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: P/N "D4293-1" AND B/N PER DART QSI 044 6.1
- 7) WEIGHT: 1.18 lbs

C	ADD HELICAL COIL (D1-2, B4-3)	CP	11.01.14
B	0.800 WAS 0.78 (C6-2), 1.730 WAS 1.72 (C4-2)	CP	10.11.30
A	NEW ISSUE	CP	10.11.09
REV.	DESCRIPTION	BY	DATE
DESIGN		<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.		TITLE	
DATE	11.01.14	FITTING (206L AFT)	
		REV. C	
		SHEET 1 OF 3	
		SCALE	
		NTS	
		COPYRIGHT © 2010 BY DART AEROSPACE LTD	
		THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



